

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	64157	( optic\$5 near3 (measur\$5 test\$4 detect\$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/23 15:06
L2	255	1 and (second two pair couple) near3 ( pressure near3 (measur\$5 test\$4 detect\$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/23 15:06
L3	76	2 and ( temperature near3 (measur\$5 test\$4 detect\$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/23 15:07
L4	2	("5301001").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:11
L5	2	4 and pressure and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("5113070").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 09:12
L2	0	1 and fill\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:14
L3	12441	(tube conduit pipe) near4 (fill\$5). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:15
L4	8855	3 and (cap door end cover).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:43
L5	184	4 and (fiber near2 opti\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:40
L6	1	5 and (refractive near2 index) near3 temperature.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:19
L7	5	5 and (refractive near2 index) near3 temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:19
L8	22	4 and insert\$5 near3 (fiber near2 opti\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:44

L9	4	8 and temperature.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:44
L10	2260	3 and (cap door cover).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:43
L11	6	10 and insert\$5 near3 (fiber near2 opti\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:44
L12	2	11 and temperature.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:45
L13	3	11 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:45
S1	64157	( optic\$5 near3 (measur\$5 test\$4 detect\$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/23 15:06
S2	255	S1 and (second two pair couple) near3 ( pressure near3 (measur\$5 test\$4 detect\$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/23 15:06
S3	76	S2 and ( temperature near3 (measur\$5 test\$4 detect\$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/23 15:07

S4	2	("5301001").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:11
S5	2	S4 and pressure and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:48
S6	2	("5113070").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:48
S7	0	S6 and coat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:50
S8	2	("5907403").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 09:12